


Invitation to Bid – Creston Fire Station (CALHOUN COUNTY)

Calhoun County is requesting bids for a Fire Substation in Creston, SC. This will be a design-build project. The building shall be (50) feet by (80) feet in size. (4) 12'x12' bays with roll up doors, a small office space and a bathroom shall be included. All ADA, building, and fire codes must be met. Detailed specifications may be picked up at the Office of Building and Planning, located in Suite 112 of the Courthouse Annex building in St. Matthews, S.C. or they may be downloaded on the County web site at [calhouncounty.sc.gov/departments/procurement](http://calhouncounty.sc.gov/departments/procurement).

36" X 42" Shower

Creston Fire Station



- Provide 6" reinforced concrete floor with fiberglass (5,000 LB) and wire
- Provide a 110' wide concrete apron in front of building extending to the Old Number Six Hwy right of way
- Spec for apron same as concrete floor
- Provide water well and septic tank
- Provide electrical to include the following:
  - Provide twelve 8' high output fluorescent light fixtures in truck bay area
  - Provide two three way light switches in truck bay area
  - Provide a wall switched lighted exhaust fan in bathroom
  - Provide one each wall switched light in office and storage room
  - Provide a 40 gallon hot water heater
  - Provide duplex recepticals at each building floor beam
  - Provide three exterior flood lights over front of building with three way switching
  - Provide one each entrance light over exterior of each entrance door
- Provide plumbing as follows:
  - Provide one 40 gallon hot water heater
  - Provide septic tank
  - Provide all necessary plumbing for bathroom lavatory, shower, and toilet
  - Provide all necessary plumbing for double tube sink.
  - Provide a 1" 36" hydrant on front side of building